MOZA RACING

Quick Guide

售后客服

CS Pro Steering Wheel

User Manual 使用说明书

01 QR Use Guide





Method A:

- Align the 6 ball bearings on the wheel QR with the 6 notches on the base QR mount.
- Press the quick release onto the base mount, keeping the bearings and notches aligned.
- The quick release will automatically lock into place; if it doesn't, then remove it, recheck the alignment and try again.
- To remove the wheel, squeeze the black quick release part with the MOZA logo towards the wheel with both hands and pull out the wheel at the same time.

Method B:

- Rotate the wheelbase until you locate the arrow directly above the base.
- Center the wheel and attach it to the wheelbase.
- To remove the wheel, use both hands to squeeze the black quick release part with the MOZA logo towards the wheel with both hands and pull out the wheel at the same time.

02 Peddal Add-on Kit Installation

1. Use the included 2mm hex wrench to remove the two decorative cover plates on the back of the steering wheel. Take out the two single-paddle modules from the package.
2. Connect the wiring harness to the socket on the back of the steering wheel. Then, secure each paddle module using the included M3 hex socket countersunk screws and the 2mm hex





03 Steering Wheel Configuration

The wheel can be set up quickly and easily using MOZA Pit House software.

- Clutch Paddle Modes: Can be set to composite axis, independent axis, or button.
- Joystick Modes: Can be set to button or D-pad.
- RPM Indicator Switch Modes: Choice of rpm, off and constant.

- Indicator Modes: There are two modes, mode 1 and mode 2; both are explained in detail when the mouse is hovered over the corresponding option.
- Brightness Control: Independent adjustment for button backlight brightness, rev light brightness, flag light brightness, and rotary encoder indicator brightness.
- Rotary Indicator Modes:
  Standard Mode: Indicator position shown in the same color as other positions.
  Highlight Mode: Active position is emphasized with a highlight color.
  Custom Mode: User-defined colors for indicator positions.
- Brightness Control: Supports independent brightness adjustment for both indicator lights and button lights.
- Knob Light Colors:Click [Knob Light Color] to open the settings. Overlays will appear for indicator and background sections. Select one, then use the RGB editor to set your color.
- Button Colors: Click [Button Color] to open the settings. Each button will highlight with a circle—click a button to choose a new color using the RGB editor.
- Change Dash: Hold the top-left button and move the right 7-way switch up/down.
- Change Screen: Hold the top-left button and move the right 7-way switch left/right.

- RPM Light Colors: Click any RPM light bead to open the RGB editor and set your preferred color.
- Button Combinations: Open the Button Combination Guide in the top-right corner of the steering wheel image. Use this to learn quick key combos for faster access to functions.
- Edit the Dashboard: Hover over the UI, then click Edit Dashboard in the top-right menu to customize.
- Screen Brightness: Adjust screen brightness by dragging the slider.



(for detailed steering wheel settings and functions, please visit the official website of MOZA Racing)

04 Precautions

- Do not expose the device to liquids or humidity as it may cause fire or electric shock.
- Avoid using the device in direct sunlight.
- Recommended indoor temperature: 15°C ~ 35°C.
- For your safety and well-being, please monitor your gaming time and take breaks as needed.
- The device is not suitable for children under the age of 6, small accessories may pose a choking hazard!
- Children under 13 should have adult supervision.
- It is strictly forbidden to disassemble the equipment by yourself, failure to adhere to this will result in loss of warranty.
- In order to ensure user safety, parts repair or replacement can only be carried out by officially authorized repair centers.
- Do not expose the device to heat sources.
- If you find any abnormality, please stop using it immediately and seek help from MOZA representatives or authorized repair centers.
- Stay tuned to our official website and social media platforms for the latest product updates.

⚠ This product use is limited to activities related to simulated driving, please distinguish between simulated games and reality to ensure safe driving

05 Packing details

1. CS Pro Steering Wheel 2. MOZA stickers 3. Tool Kit: L-shaped Wrench, Plastic Tweezer

01 快拆使用方法



图A:

1. 将方向盘快拆母头上6颗钢珠的位置与基座快拆公头的6个凹槽对应
2. 将快拆往盘面方向按压
3. 快拆将自动归位锁紧，若无归位，可尝试轻微转动盘面或取下后再安装
4. 如需拆取盘面，用双手捏住黑色带logo的外壳，同时拔出盘面

图B:

1. 找到基座正上方的箭头
2. 找到方向盘正面，正插进去即可安装
3. 如需拆取盘面，用双手捏住黑色带logo的外壳，同时拔出盘面

02 拓展拨片安装

1. 用附件中的2mm扳手将方向盘背部2个装饰盖板拆下
2. 取出包装中2个单拨片组件，先将线束插到方向盘背部母座中，再用2mm扳手和M3内六角沉头螺钉将拨片组件固定到方向盘上



03 方向盘配置

在MOZA Pit House软件中可以方便快捷地对方向盘进行设置

· 离合拨片模式：设置离合拨片操作模式，可设置为合成轴，独立轴和按键

· 摇杆模式：设置摇杆操作模式，可设置为按键和十字键

· 指示灯开关模式：指示灯状态调节，分为随速转动，关闭和常亮
· 指示灯显示模式：共分为模式一和模式二，当鼠标移动到选项上时会弹出详细解释
· 转速提示设置：根据转速与换档指示灯亮起的时机关系，分为提前型，标准型，极限型和自定义模式
· 转速模式：支持百分比和转速2种模式。百分比模式即转速达到设置的最大转速的百分比时换挡提示灯亮起。转速模式即转速达到设置的转速绝对值时换挡提示灯亮起
· 亮度调节：支持分别调节指示灯亮度和按键灯亮度
· 旋钮灯颜色调节：点击【旋钮灯颜色】按钮，进入灯光颜色调节界面，方向盘旋钮灯上覆盖颜色随灯光颜色变化的圆形，分为指示与背景两部分。鼠标单击选中对应部分会显示RGB颜色的编辑器，即可自定义灯光颜色
· 方向盘组合键：点开方向盘图片右上角的组合键说明，记住组合键后即可快速调节功能
· 切换方向盘仪表UI：按住左上按键 + 上/下拨动右侧七向开关
· 切换仪表UI主/副屏：按住左上按键 + 左/右拨动右侧七向开关

· 指示灯颜色调节：鼠标选中单击指示灯珠，会显示RGB颜色的编辑器，即可自定义灯光颜色
· 按键灯颜色调节：点击【按键灯颜色】按钮，进入灯光颜色调节界面，方向盘按键灯上覆盖颜色随灯光颜色变化的圆形。鼠标单击选中会显示RGB颜色的编辑器，即可自定义灯光颜色
· 编辑仪表:鼠标悬停在仪表UI上时,右上角的菜单栏会显示编辑仪表按钮,点击进入仪表编辑器内对仪表UI进行修改
· 屏幕亮度：拖动屏幕亮度的滑块支持调节方向盘的屏幕亮度

（详细方向盘设置与功能，请访问MOZA Racing官网）

04 注意事项

· 严禁将设备暴露在雨水以及潮湿的环境中，以避免发生火灾/电击

· 严禁在太阳直射的条件下使用设备

· 建议室内温度:15°C ~ 35°C

· 为了您的健康，请合理控制游戏时间

· 设备不适用于6岁以下儿童，小配件可能造成窒息的危险!

· 13岁以下孩童需在家长陪同下使用

· 严禁自行拆解设备，否则将失去质保资格

· 为保障相关安全，零部件维修或者更换只能由官方授权维修中心进行

· 禁止将设备暴露在热源中

· 如发现有任何异常，请立即停止使用并寻求 MOZA 官方或相关授权中心的帮助

· 请关注 MOZA 官网及公众平台以了解最新的相关产品信息

⚠ 本产品仅限于模拟驾驶相关活动，请区别模拟游戏与现实，安全驾驶。

05 包装清单

1. CS Pro方向盘　　2. 贴纸　　3. 工具包：L型扳手，塑料镊子

产品保修卡

产品型号		购买日期	
用户姓名		用户电话	
产品条码		通讯地址	

经销商信息(签章)

产品保修条例

保修期

自购机日起,基座主体,方向盘,踏板和仪表显示屏保修12个月。设备外壳、说明书、线材、螺丝、扳手、包装等不在"一年免费保修服务"范围内,但您可以选择有偿服务。

购买者在以下条件下不享受免费保修服务,但您可以选择有偿服务。

1. 超过三包有效期的;
2. 无三包凭证及有效发票的,但能够证明该产品在三包有效期内的除外;
3. 包修凭证上的型号与修理产品型号不符或者涂改的;
4. 非本公司特约维修人员拆动造成损坏的;
5. 因不可抗拒力造成损坏的;
6. 未按产品使用说明书要求使用、维护、保养而造成损坏的。

保修期限鉴于产品部位、不同国家法律法规等差异,将有所不同。相关国家与区域的保修期限,请咨询MOZA官方或购买时联系的MOZA授权经销商。

Manufacturer: Shenzhen Gudsen Technology Co., Ltd
Address: Room 1903-1904, Building 3, Nanshan ZhiyuanChongwen Park, No. 3370 Liuxian Avenue, Nanshan District, Shenzhen China
Web: www.mozaracing.com
E-mail: info@mozaracing.com
Made in China

EU Representative: Gudsen Technology EU GmbH
Address: Birkenstrasse 23, 40233 Düsseldorf
Email: support@gudsen.com

UK Representative: Gudsen Technology UK Limited
Address: Tc-Abo, Luminous House, 300 South Row
Milton Keynes, MK9 2FR, United Kingdom
Email: support@gudsen.com